THEORETICAL AND APPLIED GENETICS

Vol. 81 1991

International Journal of Breeding Research and Cell Genetics

Editorial Board

Managing Editor: G. Wenzel, Grünbach

L. Alföldi, Szeged
J. S. F. Barker, Armidale
J. Beckmann, Bet Dagan
E. J. Eisen, Raleigh, NC
Yu. Gleba, Kiev
R. Hagemann, Halle/S.
A. R. Hallauer, Ames, IA
Hu Han, Beijing
A. L. Kahler, Brookings, SD
G. S. Khush, Manila
H. F. Linskens, Heidelberg
J. Mac Key, Uppsala
P. Maliga, Piscataway, NJ
F. Mechelke, Stuttgart
G. Melchers, Tübingen
P. L. Pfahler, Gainesville, FL
I. Potrykus, Zürich
F. Salamini, Köln-Vogelsang
K. Sittmann, Montreal
J. W. Snape, Norwich
P. M. A. Tigerstedt, Helsinki
K. Tsunewaki, Kyoto
L. D. Van Vleck, Lincoln, NE

Springer International

THEORETICAL AND APPLIED GENETICS

International Journal of Breeding Research and Cell Genetics

Founded in 1929 as "Der Züchter", a German journal for theoretical and applied genetics. In 1966 its direction changed from national to international and from plant breeding to genetics and breeding research. The title changed in 1968 to "Theoretical and Applied Genetics". Edited by H. Stubbe from 1946 to 1976 and by H. F. Linskens 1977 to 1987 (Vol. 73).

Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA

Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US $ 0.20 per page, or a minimum of US $ 1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0040-5752, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Printed in Germany – © Springer-Verlag Berlin Heidelberg 1991 · Springer-Verlag GmbH & Co. KG, W-1000 Berlin 33, FRG · Typesetting: Graphischer Betrieb Konrad Triltsch, W-8700 Würzburg, FRG
Printers: Druckwerkstätten Oskar Zach, W-1000 Berlin 31, FRG
Bookbinding: Buchbinderei Helm, W-1000 Berlin 30, FRG

Table of contents

Abler ML, Scandalios JG: The CAT-2 null phenotype in maize is likely due to a DNA insertion into the *Cat2* gene 635
Adams WT → St Clair JB
Adiwilaga KD, Brown CR: Use of 2n pollen-producing triploid hybrids to introduce tetraploid Mexican wild species germ plasm to cultivated tetraploid potato gene pool 645
Ahmad F, Comeau A: Production, morphology, and cytogenetics of *Triticum aestivum* (L.) Thell × *Elymus scabrus* (R. Br.) Love intergeneric hybrids obtained by in ovulo embryo culture 833
Aleksiuk M → Rajora OP
Ali IF, Neale DB, Marshall KA: Chloroplast DNA restriction fragment length polymorphism in *Sequoia sempervirens* D. Don Endl., *Pseudotsuga menziesii* (Mirb.) Franco, *Calocedrus decurrens* (Torr.), and *Pinus taeda* L. 83
Amyes NC → Baker RL
Armstrong KC, Le H, Fedak G: Expression of *Thinopyrum distichum* NORs in wheat × Thinopyrum amphiploids and their backcross generations 363
Asaka D → Harada T

Baker RL, Peterson AJ, Bass JJ, Amyes NC, Breier BH, Gluckman PD: Replicated selection for insulin-like growth factor-1 and body weight in mice 685
Barbier P, Morishima H, Ishihama A: Phylogenetic relationships of annual and perennial wild rice: probing by direct DNA sequencing 693
Barnabás B, Pfahler PL, Kovács G: Direct effect of colchicine on the microspore embryogenesis to produce dihaploid plants in wheat (*Triticum aestivum* L.) 675
Barone A → Conicella C
Bass JJ → Baker RL
Beiles A → Nevo E
Bernardo A → Tercero JA
Berzonsky WA, Clements RL, Lafever HN: Identification of 'Amigo' and 'Kavkaz' translocations in Ohio soft red winter wheats (*Triticum aestivum* L.) 629
Bezděk M → Kuhrová V
Bliss FA → Delaney DE
Börner Th → Weihe A
Bonman JM → Yu ZH
Bonnema AB, Melzer JM, O'Connell MA: Tomato cybrids with mitochondrial DNA from *Lycopersicon pennelli* 339
Bonnema AB → Wachocki SE
Bonnett HT → Kofer W
Bothmer R von → Lu BR
Boutin-Stadler V → Pannenbecker G
Boutry M → Canal de la L
Bramel-Cox PJ → Dixon AGO
Branch WD → Kochert G
Brandle JE, Brûlé-Babel AL: An integrated approach to oilseed rape cultivar selection using phenotypic stability 679
Breier BH → Baker RL
Brettell RIS → Last DI
Brettschneider R → Lazzeri PA
Brown CR → Adiwilaga KD
Brown J, Sundaresan V: A recombination hotspot in the maize *A1* intragenic region 185
Brown PTH, Göbel E, Lörz H: RFLP analysis of *Zea mays* callus cultures and their regenerated plants 227
Brûlé-Babel AL → Brandle JE
Burgermeister W → Ehlers U
Burnside EB → Gomez-Raya L
Buzzell RI → Keen NT

Cabrera A, Martin A: Cytology and morphology of the amphiploid *Hordeum chilense* (4x) × *Aegilops squarrosa* (4x) 758
Caligari PDS → Thompson DM
Camp MJ → Haynes KG
Canal de la L, Crouzillat D, Flamand MC, Perrault A, Boutry M, Ledoigt G: Nucleotide sequence and transcriptional analysis of a mitochondrial plasmid from a cytoplasmic male-sterile line of sunflower 812
Capparelli R → Tucci M
Carver BF → Nevo E
Casey R → Domoney C
Casler MD: Genetic variation and covariation in a population of tetraploid *Dactylis* L. accessions 253
Cassidy BG, Dvorak J: Molecular characterization of a low-molecular-weight glutenin cDNA clone from *Triticum durum* 653
Cermeño M-C → Zeller FJ
Chalmers K → Thompson DM
Chamberlain DA → Last DI
Chang HL, Fernando RL, Grossman M: On the principle underlying the tabular method to compute coancestry 233
Charcosset A, Lefort-Buson M, Gallais A: Relationship between heterosis and heterozygosity at marker loci: a theoretical computation 571
Chase CD, Ortega VM, Vallejos CE: DNA restriction fragment length polymorphisms correlate with isozyme diversity in *Phaseolus vulgaris* L. 806
Chase CD → Vallejos CE
Chatterji A → Hussain MG
Chaudhury AM → Last DI
Chaves LJ → Miranda-Filho JB de
Chevre AM, This P, Eber F, Deschamps M, Renard M, Delseny M, Quiros CF: Characterization of disomic addition lines *Brassica napus–Brassica nigra* by isozyme, fatty acid, and RFLP markers 43
Chowdhury MKU → Smith RL
Clements RL → Berzonsky WA
Colijn-Hooymans CM → Derks FHM
Comeau A → Ahmad F
Commandeur U → Ehlers U
Conicella C, Barone A, Del Giudice A, Frusciante L, Monti LM: Cytological evidences of SDR-FDR mixture in the formation of 2n eggs in a potato diploid clone 59
Costa A → Tucci M
Cresti M → Shivanna KR
Crossa J, Fox PN, Pfeiffer WH, Rajaram S, Gauch Jr HG: AMMI adjustment for statistical analysis of an international wheat yield trial 27
Crouzillat D → Canal de la L
Crowhurst RN, Gardner RC: A genome-specific repeat sequence from kiwifruit (*Actinidia deliciosa* var *deliciosa*) 71
Curtis CA, Lukaszewski AJ: Genetic linkage between C-bands and storage protein genes in chromosome *1B* of tetraploid wheat 245

Dancik BP → Rajora OP
Dekkers JCM, Dentine MR: Quantitative genetic variance associated with chromosomal markers in segregating populations 212
Del Giudice A → Conicella C
Delaney DE, Bliss FA: Selection for increased percentage phaseolin in common bean. 1. Comparison of selection for seed protein alleles and S_1 family recurrent selection 301
Delaney DE, Bliss FA: Selection for increased percentage phaseolin in common bean. 2. Changes in frequency of seed protein alleles and S_1 family recurrent selection 306
Delseny M → Chevre AM
Dennis ES → Last DI
Dentine MR → Dekkers JCM
Derks FHM, Wijbrandi J, Koornneef M, Colijn-Hooymans CM: Organelle analysis of symmetric and asymmetric hybrids between *Lycopersicon peruvianum* and *Lycopersicon esculentum* 199
Deschamps M → Chevre AM
Dhaliwal HS → Friebe B
Dixon AGO, Bramel-Cox PJ, Harvey TL: Complementarity of genes for resistance to greenbug [*Schizaphis graminum* (Rondani)], biotype E, in

sorghum [*Sorghum bicolor* (L.) Moench] 105
Domoney C, Casey R, Turner L, Ellis N: *Pisum* lipoxygenase genes 800
Dong YS → Li LH
Duncan DR → Wan Y
Dvorak J → Cassidy BG

Eber F → Chevre AM
Ehlers U, Commandeur U, Frank R, Landsmann J, Koenig R, Burgermeister W: Cloning of the coat protein gene from beet necrotic yellow vein virus and its expression in sugar beet hairy roots 777
Ellis N → Domoney C
Eskridge KM, Johnson BE: Expected utility maximization and selection of stable plant cultivars 825
Evans AS: Leaf physiological aspects of nitrogen-use efficiency in *Brassica campestris* L.: quantitative genetic variation across nutrient treatments 64

Fajkus J → Kuhrová V
Falavigna A → Maestri E
Fedak G → Armstrong KC
Feldman M → Galili S
Fernando RL → Chang HL
Flamand MC → Canal de la L
Fooland MR, Jones RA: Genetic analysis of salt tolerance during germination in *Lycopersicon* 321
Forster BP, Thompson DM, Watters J, Powell W: Water-soluble proteins of mature barley endosperm: genetic control, polymorphism, and linkage with β-amylase and spring/winter habit 787
Forster BP → Thompson DM
Foster GG: Chromosomal inversions and genetic control revisited: the use of inversions in sexing systems for higher Diptera 619
Fox PN → Crossa J
Frank R → Ehlers U
Frankham R, Torkamanzehi A, Moran C: P element transposon-induced quantitative genetic variation for inebriation time in *Drosophila melanogaster* 317
Freydl E → Spangenberg G
Friebe B, Mukai Y, Dhaliwal HS, Martin TJ, Gill BS: Identification of alien chromatin specifying resistance to wheat streak mosaic and greenbug in wheat germ plasm by C-banding and in situ hybridization 381
Frova C → Ottaviano E
Frusciante L → Conicella C
Fukui K, Iijima K: Somatic chromosome map of rice by imaging methods 589
Fukui K → Iijima K
Fukui K → Kakeda K
Fukui K → Yanagisawa T

Gale MD → Hartcourt RL
Galili G → Galili S
Galili S, Galili G, Feldman M: Chromosomal location of genes for Rubisco small subunit and Rubisco-binding protein in common wheat 98
Gallais A → Charcosset A
Gallais A: A general approach for the study of a population of testcross progenies and consequences for recurrent selection 493
Gardner RC → Crowhurst RN
Gauch Jr HG → Crossa J
Gawel NJ, Jarret RL: Chloroplast DNA restriction fragment length polymorphisms (RFLPs) in *Musa* species 783
Gebhardt C → Klein-Lankhorst R
Gill BS → Friebe B
Glimelius K → Kofer W
Glodek P → Götz K-U
Gluckman PD → Baker RL
Göbel E → Brown PTH
Götz K-U, Glodek P, Rapp K: Crossbreeding effects after long-term selection for purebred performance: a model experiment with mice. 1. Performance of F_1 crosses 720
Gomez-Raya L, Schaeffer LR, Burnside EB: Selection of sires to reduce sampling variance in the estimates of heritability by half-sib correlation 624
Gooding Jr GV → Witherspoon Jr WD
Gorla MS → Ottaviano E
Gorman DP → Kang MS
Graef GL → Muehlbauer GJ
Grossman M → Chang HL
Guiderdoni E: Gametic selection in anther culture of rice (*Oryza sativa* L.) 406
Guo M, Lightfoot DA, Mok MC, Mok DWS: Analyses of *Phaseolus vulgaris* L. and *P. coccineus* Lam. hybrids by RFLP: preferential transmission of *P. vulgaris* alleles 703

Hänisch ten Cate ChH → Ottaviani MP
Halward T → Kochert G
Handa T → Koba T
Harada K → Yanagisawa T
Harada T, Sato T, Asaka D, Matsukawa I: Large-scale deletions of rice plastid DNA in anther culture 157
Harinarayana G → Virk DS
Hartcourt RL, Gale MD: A chromosome-specific DNA sequence which reveals a high level of RFLP in wheat 397
Harvey TL → Dixon AGO
Havey MJ: Phylogenetic relationships among cultivated *Allium* species from restriction enzyme analysis of the chloroplast genome 752
Haynes KG, Potts WE, Camp MJ: Estimation of preferential pairing in tetraploid × diploid hybridizations 504
Heberle-Bors E → Stauffer C
Hepburn AG → Williams ME
Hickok LG, Vogelien DL, Warne TR: Selection of a mutation conferring high NaCl tolerance to gametophytes of *Ceratopteris* 293
Hill Jr RR, Kolb FL, Marshall HG: Prediction of F_3 row performance from F_2 individual plant data in oats 79
Hirano H → Nakamura A
Hu C-J → Wang RR-C
Hu H → Tao YZ
Hu J, Quiros CF: Molecular and cytological evidence of deletions in alien chromosomes for two monosomic addition lines of *Brassica campestris-oleracea* 221
Hussain MG, Chatterji A, McAndrew BJ, Johnstone R: Triploidy induction in Nile tilapia, *Oreochromis niloticus* L. using pressure, heat and cold shocks 6
Huynh TDH → Noel T

Iijima K, Kakeda K, Fukui K: Identification and characterization of somatic rice chromosomes by imaging methods 597
Iijima K → Fukui K
Ishihama A → Barbier P
Ishii S → Ohgawara T
Itoh K, Iwabuchi M, Shimamoto K: In situ hybridization with species-specific DNA probes gives evidence for asymmetric nature of *Brassica* hybrids obtained by X-ray fusion 356
Itoh K → Iwabuchi M
Iwabuchi M, Itoh K, Shimamoto K: Molecular and cytological characterization of repetitive DNA sequences in *Brassica* 349
Iwabuchi M → Itoh K

Jarret RL → Gawel NJ
Jende-Strid B: Gene-enzyme relations in the pathway of flavonoid biosynthesis in barley 668
Johnson BE → Eskridge KM
Johnstone R → Hussain MG
Jones RA → Fooland MR
Jouve N → Tercero JA

Kakeda K, Fukui K, Yamagata H: Heterochromatic differentiation in barley chromosomes revealed by C- and N-banding techniques 144
Kakeda K → Iijima K
Kang H: Components of juvenile-mature correlations in forest trees 173
Kang MS, Gorman DP, Pham HN: Application of a stability statistic to international maize yield trials 162
Kawagoe Y, Kikuta Y: Chloroplast DNA evolution in potato (*Solanum tuberosum* L.) 13
Keen NT, Buzzell RI: New disease resistance genes in soybean against *Pseudomonas syringae* pv *glycinea*: evi-

dence that one of them interacts with a bacterial elicitor 133
Keim P → Muehlbauer GJ
Kennedy BW → Villanueva B
Kikuchi F → Nakamura A
Kikuta Y → Kawagoe Y
King IP, Miller TE, Koebner RMD: Determination of the transmission frequency of chromosome 4S′ of *Aegilops sharonensis* in a range of wheat genetic backgrounds 519
Klein-Lankhorst R, Rietveld P, Machiels B, Verkerk R, Weide R, Gebhardt C, Koornneef M, Zabel P: RFLP markers linked to the root knot nematode resistance gene *Mi* in tomato 661
Knapp SJ: Using molecular markers to map multiple quantitative trait loci: models for backcross, recombinant inbred, and doubled haploid progeny 333
Koba T, Handa T, Shimada T: Efficient production of wheat-barley hybrids and preferential elimination of barley chromosomes 285
Kobayashi S → Ohgawara T
Kochert G, Halward T, Branch WD, Simpson CE: RFLP variability in peanut (*Arachis hypogaea* L.) cultivars and wild species 565
Koebner RMD → King IP
Koenig R → Ehlers U
Kofer W, Glimelius K, Bonnett HT: Restoration of normal stamen development and pollen formation by fusion of different cytoplasmic male-sterile cultivars of 1*Nicotiana tabacum* 390
Kolb FL → Hill Jr RR
Koornneef M → Derks FHM
Koornneef M → Klein-Lankhorst R
KoukalováB → Kuhrová V
Kovács G → Barnabás B
Kuhrová V, Bezděk M, Vyskot B, Koukalová B, Fajkus J: Isolation and characterization of two middle repetitive DNA sequences of nuclear tobacco genome 740

Labarère J → Noel T
Lafever HN → Berzonsky WA
Landsmann J → Ehlers U
Larkin PJ → Last DI
Last DI, Brettell RIS, Chamberlain DA, Chaudhury AM, Larkin PJ, Marsh EL, Peacock WJ, Dennis ES: pEmu: an improved promoter for gene expression in cereal cells 581
Lazzeri PA, Brettschneider R, Lührs R, Lörz H: Stable transformation of barley via PEG-induced direct DNA uptake into protoplasts 437
Le H → Armstrong KC
Leach CR, Mayo O: Quantitatively determined self-incompatibility. 3. Genetical variability in *Borago officinalis* 641
Ledoigt G → Canal de la L
Lefort-Buson M → Charcosset A
Levy A, Milo J: Inheritance of morphological and chemical characters in interspecific hybrids between *Papaver bracteatum* and *Papaver pseudo-orientale* 537
Li LH, Dong YS: Hybridization between *Triticum aestivum* L. and *Agropyron michnoi* Roshev. 1. Production and cytogenetic study of F_1 hybrids 312
Lightfoot DA → Guo M
Linskens HF → Shivanna KR
Lörz H → Brown PTH
Lörz H → Lazzeri PA
Longo GP M → Maestri E
Lu BR, Bothmer R von: Cytogenetic studies of the intergeneric hybrids between *Secale cereale* and *Elymus caninus*, *E. brevipes*, and *E. tsukushiensis* (Triticeae: Poaceae) 524
Lührs R → Lazzeri PA
Lukaszewski AJ → Curtis CA

Machiels B → Klein-Lankhorst R
Mackill DJ → Yu ZH
Maestri E, Restivo FM, Longo GP Marziani, Falavigna A, Tassi F: Isozyme gene markers in the dioecious species *Asparagus officinalis* L. 613
Mangan RL: Analysis of genetic control of mating behavior in screwworm (Diptera: Calliphoridae) males through diallel crosses and artificial selection 429
Mangat BK → Virk DS
Marburger JE → Wang RR-C
Marsh EL → Last DI
Marshall HG → Hill Jr RR
Marshall KA → Ali IF
Martin A → Cabrera A
Martin TJ → Friebe B
Matsukawa I → Harada T
Mayo O → Leach CR
McAndrew BJ → Hussain MG
Meixner M → Weihe A
Melzer JM → Bonnema AB
Melzer R → Weihe A
Michaelis G → Pannenbecker G
Miller TE → King IP
Miller TE → Zeller FJ
Milo J → Levy A
Miranda-Filho JB de, Chaves LJ: Procedures for selecting composites based on prediction methods 265
Mogensen HL → Zhu T
Mok DWS → Guo M
Mok MC → Guo M
Monti LM → Conicella C
Moran C → Frankham R
Moreno RMB → Stauffer C
Morishima H → Barbier P
Muehlbauer GJ, Staswick PE, Specht JE, Graef GL, Shoemaker RC, Keim P: *RFLP* mapping using near-isogenic lines in the soybean [*Glycine max* (L.) Merr.] 189
Mukai Y → Friebe B

Nagai J → Sabour MP
Nagel J → Spangenberg G
Nakamura A, Hirano H, Kikuchi F: Identification and genetic analysis of semidwarfism-related proteins in rice (*Oryza sativa* L.) 376
Nakamura C, Yamakawa S, Suzuki T: Recovery of normal photosynthesis and respiration in common wheat with *Agropyron* cytoplasms by telocentric *Agropyron* chromosomes 514
Nasrallah JB → Toriyama K
Nasrallah ME → Toriyama K
Neale DB → Ali IF
Nevo E, Carver BF, Beiles A: Photosynthetic performance in wild emmer wheat, *Triticum dicoccoides*: ecological and genetic predictability 445
Noel T, Huynh TDH, Labarère J: Genetic variability of the wild incompatibility alleles of the tetrapolar basidiomycete *Agrocybe aegerita* 745

O'Connell MA → Bonnema AB
O'Connell MA → Wachocki SE
Oettler G, Wehmann F, Utz HF: Influence of wheat and rye parents on agronomic characters in primary hexaploid and octoploid triticale 401
Ohgawara T, Kobayashi S, Ishii S, Yoshinaga K, Oiyama I: Fertile fruit trees obtained by somatic hybridization: navel orange (*Citrus sinensis*) and Troyer citrange (*C. sinensis* × *Poncirus trifoliata*) 141
Oiyama I → Ohgawara T
Ortega VM → Chase CD
Osusky M → Spangenberg G
Ottaviani MP, Hänisch ten Cate ChH: Cotransformation and differential expression of introduced genes into potato (*Solanum tuberosum* L.) cv Bintje 761
Ottaviano E, Gorla MS, Pè E, Frova C: Molecular markers (RFLPs and HSPs) for the genetic dissection of thermotolerance in maize 713

Pannenbecker G, Saumitou-Laprade P, Boutin-Stadler V, Michaelis G, Vernet P: Plastid DNA diversity in natural populations of *Beta maritima* showing additional variation in sexual phenotype and mitochondrial DNA 533
Pè E → Ottaviano E
Peacock WJ → Last DI
Perrault A → Canal de la L
Peschke VM, Phillips RL: Activation of the maize transposable element *Suppressor-mutator* (*Spm*) in tissue culture 90
Peterson AJ → Baker RL
Petolino JF → Wan Y

Pfahler PL → Barnabás B
Pfeiffer WH → Crossa J
Pham HN → Kang MS
Phillips RL → Peschke VM
Potrykus I → Spangenberg G
Potts WE → Haynes KG
Powell W → Forster BP
Powell W → Thompson DM

Quiros CF → Chevre AM
Quiros CF → Hu J

Rajaram S → Crossa J
Rajora OP, Dancik BP, Aleksiuk M: Associations of genes encoding allozymes of peroxidase and superoxide dismutase in poplar and spruce species 729
Ramsey U → Sabour MP
Rao R → Tucci M
Rapp K → Götz K-U
Rayburn AL → Wan Y
Renard M → Chevre AM
Restivo FM → Maestri E
Rietveld P → Klein-Lankhorst R
Rufty RC → Witherspoon Jr WD

Sabour MP, Ramsey U, Nagai J: Decreased frequency of the rat growth hormone transgene in mouse populations with or without selection for increased adult body weight 327
Sakai K → Tosa Y
Sakomoto K, Taguchi T: Regeneration of intergeneric somatic hybrid plants between *Lycopersicon esculentum* and *Solanum muricatum* 509
Sato T → Harada T
Saumitou-Laprade P → Pannenbecker G
Scandalios JG → Abler ML
Schaeffer LR → Gomez-Raya L
Shimada T → Koba T
Shimamoto K → Itoh K
Shimamoto K → Iwabuchi M
Shivanna KR, Linskens HF, Cresti M: Pollen viability and pollen vigor 38
Shoemaker RC → Muehlbauer GJ
Simpson CE → Kochert G
Smith RL, Chowdhury MKU: Characterization of pearl millet mitochondrial DNA fragments rearranged by reversion from cytoplasmic male sterility to fertility 793
Smith SE → Zhu T
Snape JW → Tao YZ
Snijders CHA, Van Eeuwijk FA: Genotype × strain interactions for resistance to *Fusarium* head blight caused by *Fusarium culmorum* in winter wheat 239
Spangenberg G, Freydl E, Osusky M, Nagel J, Potrykus I: Organelle transfer by microfusion of defined protoplast-cytoplast pairs 477
Specht JE → Muehlbauer GJ
St Clair JB, Adams WT: Relative family performance and variance structure of open-pollinated Douglas-fir seedlings grown in three competitive environments 541
Staswick PE → Muehlbauer GJ
Stauffer C, Moreno RMB, Heberle-Bors E: Seed set after pollination with in-vitro-matured, isolated pollen of *Triticum aestivum* 576
Stein JC → Toriyama K
Sundaresan V → Brown J
Suzuki T → Nakamura C

Taguchi T → Sakomoto K
Tanksley SD → Yu ZH
Tano S → Yanagisawa T
Tao YZ, Snape JW, Hu H: The cytological and genetic characterisation of doubled haploid lines derived from triticale × wheat hybrids 369
Tassi F → Maestri E
Terachi T → Terauchi R
Terauchi R, Terachi T, Tsunewaki K: Intraspecific variation of chloroplast DNA in *Dioscorea bulbifera* L. 461
Tercero JA, Bernardo A, Jouve N: Encoding genes for endosperm proteins in *Hordeum chilense* 127
This P → Chevre AM
Thomas WTB → Thompson DM
Thompson DM, Chalmers K, Waugh R, Forster BP, Thomas WTB, Caligari PDS, Powell W: The inheritance of genetic markers in microspore-derived plants of barley *Hordeum vulgare* L. 487
Thompson DM → Forster BP
Toriyama K, Stein JC, Nasrallah ME, Nasrallah JB: Transformation of *Brassica oleracea* with an *S*-locus gene from *B. campestris* changes the self-incompatibility phenotype 769
Torkamanzehi A → Frankham R
Tosa Y, Sakai K: Analysis of the resistance of *Aegilops squarrosa* to the wheatgrass mildew fungus by using the gene-for-gene relationship 735
Tsunewaki K → Terauchi R
Tucci M, Capparelli R, Costa A, Rao R: Molecular heterogeneity and genetics of *Vicia faba* seed storage proteins 50
Turner L → Domoney C

Utz HF → Oettler G

Vallejos CE, Chase CD: Linkage between isozyme markers and a locus affecting seed size in *Phaseolus vulgaris* L. 413
Vallejos CE → Chase CD
Van Eeuwijk FA → Snijders CHA
Van Lijsebettens M, Vanderhaeghen R, Van Montagu M: Insertional mutagenesis in *Arabidopsis thaliana*: isolation of a T-DNA-linked mutation that alters leaf morphology 277
Van Montagu M → Van Lijsebettens M
Vanderhaeghen R → Van Lijsebettens M
Verkerk R → Klein-Lankhorst R
Vernet P → Pannenbecker G
Villanueva B, Kennedy BW: Efficiency of indirect selection at selection equilibrium 166
Virk DS, Virk PS, Mangat BK, Harinarayana G: Weighted regression analysis for comparing varietal adaptation 559
Virk PS → Virk DS
Vogelien DL → Hickok LG
Vyskot B → Kuhrová V

Wachocki SE, Bonnema AB, O'Connell MA: Comparison of the organization of the mitochondrial genome in tomato somatic hybrids and cybrids 420
Wan Y, Duncan DR, Rayburn AL, Petolino JF, Widholm JM: The use of antimicrotubule herbicides for the production of doubled haploid plants from anther-derived maize callus 205
Wang RR-C, Marburger JE, Hu C-J: Tissue-culture-facilitated production of aneupolyhaploid *Thinopyrum ponticum* and amphidiploids of *Hordeum violaceum* × *H. bogdanii* and their uses in phylogenetic studies 151
Warne TR → Hickok LG
Watters J → Forster BP
Waugh R → Thompson DM
Wehmann F → Oettler G
Weide R → Klein-Lankhorst R
Weihe A, Meixner M, Wolowczyk B, Melzer R, Börner Th: Rapid hybridization-based assays for identification by DNA probes of male-sterile and male-fertile cytoplasms of the sugar beet *Beta vulgaris* L. 819
Wernsman EA → Witherspoon Jr WD
Widholm JM → Wan Y
Widholm JM → Williams ME
Wijbrandi J → Derks FHM
Williams ME, Hepburn AG, Widholm JM: Somaclonal variation in a maize inbred line is not associated with changes in the number or location of *Ac*-homologous sequences 272
Witherspoon Jr WD, Wernsman EA, Gooding Jr GV, Rufty RC: Characterization of a gametoclonal variant controlling virus resistance in tobacco 1
Wolff K: Analysis of allozyme variability in three *Plantago* species and a comparison to morphological variability 119
Wolff K: Genetic analysis of morphological variability in three *Plantago* species with different mating systems 111
Wolowczyk B → Weihe A

Yamagata H → Kakeda K
Yamakawa S → Nakamura C

Yanagisawa T, Tano S, Fukui K, Harada K: Marker chromosomes commonly observed in the genus *Glycine* 606
Yoshinaga K → Ohgawara T
Yu ZH, Mackill DJ, Bonman JM, Tanksley SD: Tagging genes for blast resistance in rice via linkage to RFLP markers 471

Zabel P → Klein-Lankhorst R
Zeller FJ, Cermeño M-C, Miller TE: Cytological analysis on the distribution and origin of the alien chromosome pair conferring blue aleurone color in several European common wheat (*Triticum aestivum* L.) strains 551
Zhu T, Mogensen HL, Smith SE: Quantitative cytology of the alfalfa generative cell and its relation to male plastid inheritance patterns in three genotypes 21

Letter to the Editor
Burdon RD: Comment on "Selection systems efficiencies for computer-simulated progeny test field designs in loblolly pine" JA Loo-Dinkins, CG Tauer, and CC Lambeth 139

Book reviews 140, 428, 562, 563, 564, 710, 711, 712, 840

Erratum 140

Announcements 564

Table of contents Vol. 80 (1991)

Indexed in *Current Contents*

Acknowledgements

The editors wish to thank the following referees for their assistance and evaluation of manuscripts submitted

W. F. Anderson (Tifton, USA)
C. L. Bassett (Athens, USA)
T. Bailey (Ames, USA)
B. Beavis (Johnston, USA)
R. L. Burton (Stillwater, USA)
I. T. Calson (Ames, USA)
C. D. Chase (Gainsville, USA)
C. N. Chaubey (Los Banos, Phillipines)
F. Cholick (Brookings, USA)
J. Crossa (Mexico City, Mexico)
X. Delannay (St. Louis, USA)
M. Delseny (Perpignan, France)
K. Esser (Bochum, Germany)
B. Foroughi-Wehr (Grünbach, Germany)
I. R. Franklin (Blacktown, Australia)
H. G. Gauch (Ithaca, USA)
C. Gebhardt (Köln, Germany)
B. G. Gengenbach (St. Paul, USA)
A. Graner (Grünbach, Germany)
E. B. Godshalk (Champaign, USA)
Y. Gruenbaum (Jerusalem, Israel)
G. Gyapay (Versailles, France)
R. Hanneman (Madison, USA)
G. E. Hart (College Station, Texas, USA)
J. F. Hayes (Ste-Anne-de-Bellevue, Canada)
D. L. Hayman (Adelaide, Australia)
T. C. Helms (Fargo, USA)
V. Hemleben (Tübingen, Germany)
P. Hinz (Ames, USA)
B. C. Invrie (St. Lucia, Australia)
R. K. Johnson (Lincoln, USA)
B. Johnson (Lincoln, USA)
C. Jung (München, Germany)
D. G. Kenefick (Brookings, USA)
S. J. Knapp (Corvallis, USA)
D. A. Knauft (Gainsville, USA)
I. Komarnitsky (Kiev, USSR)
R. A. Krebs (Armindale, Australia)
A. Kuchko (Nemeshaevo, USSR)
D. L. Kuhlers (Auburn, USA)
P. Larkin (Canberra, Australia)
S. Leong (Köln, Germany)
C. S. Lin (Ottawa, Canada)
T. F. C. Mackey (Raleigh, USA)
D. Marshall (Dallas, USA)
J. Martin (Melbourne, Australia)
J. Miller (Ithaca, USA)
M. Motto (Bergamo, Italy)
O. Muona (Oulu, Finland)
T. Nesbaum (Versailles, France)
Y. Nishioka (Montreal, Canada)
W. Nyquist (West Lafayette, USA)
T. Osborn (Madison, USA)
P. A. Parsons (Adelaide, Australia)
H. H. Pham (Harare, Zimbabwe)
N. Polans (Champaign, USA)
P. Pulkkinen (Helsinki, Finland)
L. Rieseberg (Claremont, USA)
J. Roberts (Raleigh, USA)
M. Saghai-Maroof (Blacksburg, USA)
D. W. Schemske (Chicago, USA)
D. Senadhira (Los Banos, Phillipines)
K. Shepherd (Adelaide, Australia)
L. Shlumukiv (Kiev, USSR)
V. Sidorov (Kiev, USSR)
H. T. Stalker (Raleigh, USA)
G. C. C. Tai (Fredicton, Canada)
J. A. Teeri (Espoo, Finland)
M. Tess (Bozeman, USA)
H. Uhrig (Köln, Germany)
M. Wade (Loughborough, UK)
H. Walther (Grünbach, Germany)
C. F. Wehrhahn (Vancouver, Canada)
P. von Wettstein-Knowles (Copenhagen, Denmark)
Z. Wicks (Brookings, USA)
J. C. Williams (Auburn, USA)
C. S. Wisdom (Aiea, USA)
J. C. Wynne (Raleigh, USA)
R. R. Woolaston (Armindale, Australia
G. Yerk (St. Paul, USA)
A. Zeller (Köln, Germany)
F.-J. Zeller (Weihenstephan, Germany)
S. Zeng (Raleigh, USA)

as well as the assistance of Mrs. Kathy Seaman at the editorial office.